









# LED INDOOR FIXTURES

	WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
<b>LED CEILING LIGHTS • 120V</b>								
	16	DL27583754	11" WHITE CEILING LIGHT - 16W/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	1000	75W	10
	25	DL27683756	14" WHITE CEILING LIGHT - 25W/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	1700	125W	5
	17	DL27783757	11" WHITE SQUARE CEILING LIGHT - 17W/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	1300	100W	10
	25	DL27883758	13" WHITE SQUARE CEILING LIGHT - 25W/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	1700	125W	5
<b>ROUND SURFACE MOUNT</b>								
	10	DL27983880	5.5" ROUND SURFACE MOUNT - 10W/WHT/30K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	600	50W	20
		DL28083882	5.5" ROUND SURFACE MOUNT - 10W/WHT/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	600	50W	20
	15	DL28183884	7" ROUND SURFACE MOUNT - 15W/WHT/30K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	900	60W	20
		DL28283886	7" ROUND SURFACE MOUNT - 15W/WHT/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	900	60W	20
	20	DL28383888	9" ROUND SURFACE MOUNT - 20W/WHT/30K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	1200	100W	10
		DL28483890	9" ROUND SURFACE MOUNT - 20W/WHT/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	1200	100W	10
<b>SQUARE SURFACE MOUNT</b>								
	10	DL28583881	5.5" SQUARE SURFACE MOUNT - 10W/WHT/30K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	600	50W	20
		DL28683883	5.5" SQUARE SURFACE MOUNT - 10W/WHT/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	600	50W	20
	15	DL28783885	7" SQUARE SURFACE MOUNT - 15W/WHT/30K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	900	60W	20
		DL28883887	7" SQUARE SURFACE MOUNT - 15W/WHT/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	900	60W	20
	20	DL28983889	9" SQUARE SURFACE MOUNT - 20W/WHT/30K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	1200	100W	10
		DL29083891	9" SQUARE SURFACE MOUNT - 20W/WHT/40K/DIMM - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	1200	100W	10
<b>ACCESSORY</b>								
		DL29183876	DOWNLIGHT ACCESSORY FOR SURFACE MOUNT FIXTURES -	<a href="#">SPEC SHEET</a>				1
<b>LED ROUND HIGH BAY</b>								
<b>PREMIUM • 120-347V</b>								
	100	DL29290344	ROUND HIGH BAY 100W/50K/DIMMABLE/V2 - PREMIUM DLC®	<a href="#">SPEC SHEET</a>	5000K	14861	400W	1
	150	DL29390346	ROUND HIGH BAY 150W/50K/DIMMABLE/V2 - PREMIUM DLC®	<a href="#">SPEC SHEET</a>	5000K	22351	750W	1
	240	DL29490349	ROUND HIGH BAY 240W/50K/DIMMABLE/V2 - PREMIUM DLC®	<a href="#">SPEC SHEET</a>	5000K	35305	1000W	1
		DL29590332	JUNCTION BOX ACCESSORY FOR LED HIGH BAY - PREMIUM	<a href="#">SPEC SHEET</a>				1
<b>STANDARD</b>								
	200	DL29690340	ROUND HIGH BAY 200W/50K/120-277V/DIMM/V2 - DLC®	<a href="#">SPEC SHEET</a>	5000K	28111	750W	1
	300	DL29790383	ROUND HIGH BAY 300W/50K/100-277V/DIMM - DLC®	<a href="#">SPEC SHEET</a>	5000K	40239	1000W	1
	400	DL29890385	ROUND HIGH BAY 400W/50K/100-277V/DIMM - DLC®	<a href="#">SPEC SHEET</a>	5000K	49526	1000W+	1


DIMM = DIMMABLE / ES® = ENERGY STAR®  
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY

LED INDOOR FIXTURES


WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
500	DL29990387	ROUND HIGH BAY 500W/50K/100-277V/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	64837	1000W+	1
<b>STANDARD • 200-480V</b>							
100	DL30084021	ROUND HIGH BAY 100W/50K/480V/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	13772	400W	1
150	DL30184023	ROUND HIGH BAY 150W/50K/480V/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	20152	400W	1
200	DL30284025	ROUND HIGH BAY 200W/50K/480V/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	27073	750W	1
240	DL30384027	ROUND HIGH BAY 240W/50K/480V/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	32738	1000W	1
<b>ACCESSORIES</b>							
	DL30490372	ADJUSTABLE ANGLE MOUNTING BRACKET FOR 100W-300W ROUND HIGH BAY	<a href="#">SPEC SHEET</a>				1
	DL30590370	MICROWAVE MOTION SENSOR FOR ROUND HIGH BAY/100-277V 1-10V DIMM/KIT					10
	DL30690360	16" ALUMINUM REFLECTOR FOR ROUND HIGH BAY	<a href="#">SPEC SHEET</a>				20
	DL30790362	16" ACRYLIC REFLECTOR FOR ROUND HIGH BAY	<a href="#">SPEC SHEET</a>				10
	DL30890363	16" ACRYLIC BOTTOM LENS FOR ACRYLIC REFLECTOR FOR ROUND HIGH BAY	<a href="#">SPEC SHEET</a>				10
	DL30990396	78" WATERPROOF CONNECTOR AND CORD/BLACK 18AWG/300V					50

LED HIGH BAY

120-277V

	90	DL31055480	2' HIGH BAY 90W/40K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	11700	250W	1
		DL31155481	2' HIGH BAY 90W/50K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	11790	250W	1
	105	DL31255222	2' HIGH BAY 110W/40K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	13650	400W	1
		DL31355223	2' HIGH BAY 110W/50K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	13755	400W	1
	135	DL31455477	2' HIGH BAY 135W/40K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	17550	400W	1
		DL31555478	2' HIGH BAY 135W/50K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	17685	400W	1
	162	DL31655482	2' HIGH BAY 162W/40K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	21060	750W	1
		DL31755483	2' HIGH BAY 162W/50K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	21060	750W	1
	223	DL31855484	2' HIGH BAY 223W/40K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	28990	750W	1
		DL31955485	2' HIGH BAY 223W/50K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	29213	750W	1
		DL32055491	4' HIGH BAY 223W/40K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	28990	750W	1
		DL32155492	4' HIGH BAY 223W/50K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	29213	750W	1
	321	DL32255487	4' HIGH BAY 321W/50K/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	42051	1000W	1

347-480V

	110	DL32355511	2' HIGH BAY 110W/40K/480V/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	14300	400W	1
		DL32455512	2' HIGH BAY 110W/50K/480V/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	14410	400W	1
	162	DL32555514	2' HIGH BAY 162W/40K/480V/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	21060	750W	1
		DL32655515	2' HIGH BAY 162W/40K/480V/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	21222	750W	1
	223	DL32755518	2' HIGH BAY 223W/50K/480V/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	29213	750W	1
		DL32855364	4' HIGH BAY 223W/40K/480V/FR LENS/V-HOOKS & CHAIN/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	28990	750W	1
		DL32955365	4' HIGH BAY 223W/50K/480V/FR LENS/V-HOOKS & CHAIN/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	29213	750W	1
	321	DL33055521	4' HIGH BAY 321W/50K/480V/FR LENS/V-HOOKS & CHAIN/DIMM/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	42051	1000W	1

DIMM = DIMMABLE / **ES®** = ENERGY STAR®  
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY



# LED INDOOR FIXTURES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
<b>ACCESSORIES</b>							
	DL33155205	WIRE GUARD WITH CLIPS FOR LED 2'/12.6" WIDE HIGH BAY	<a href="#">SPEC SHEET</a>				1
	DL33255211	WIRE GUARD WITH CLIPS FOR LED 2'/17.3" WIDE HIGH BAY	<a href="#">SPEC SHEET</a>				1
	DL33355216	WIRE GUARD WITH CLIPS FOR LED 4'/12.6" WIDE HIGH BAY	<a href="#">SPEC SHEET</a>				1
	DL33455218	WIRE GUARD WITH CLIPS FOR LED 4'/17.3" WIDE HIGH BAY	<a href="#">SPEC SHEET</a>				1
	DL33555220	3.3" PENDANT MOUNT FOR 120-277V HIGH BAY	<a href="#">SPEC SHEET</a>				25
	DL33655221	6" PENDANT MOUNT FOR 480V HIGH BAY	<a href="#">SPEC SHEET</a>				25
	DL33755219	PENDANT MOUNT FOR 55222/55223 LED HIGH BAY	<a href="#">SPEC SHEET</a>				20
<b>LED HIGH BAY / HOUSING • 100-277V</b>							
60	DL33890410	60W HIGH BAY HOUSING/41K	<a href="#">SPEC SHEET</a>	4100K	6050	175W	4
100	DL33990414	100W HIGH BAY HOUSING/41K/DIMMABLE	<a href="#">SPEC SHEET</a>	4100K	10200	250W	4
<b>ACCESSORIES</b>							
	DL34090400	16" ACRYLIC REFLECTOR FOR LED HIGH BAY HOUSING	<a href="#">SPEC SHEET</a>				1
<b>LED INTERIOR FIXTURES / SURFACE • 120-277V</b>							
20	DL34155458	24" STRIP - 20W/40K/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	2620	100W	6
	DL34255459	24" STRIP - 20W/50K/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	2640	100W	6
18	DL34355461	48" STRIP - 18W/40K/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	2502	100W	6
	DL34455462	48" STRIP - 18W/50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	2520	100W	6
35	DL34555464	48" STRIP - 35W/40K/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4585	150W	6
	DL34655465	48" STRIP - 35W/50K/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4620	150W	6
38	DL34755467	96" STRIP - 38W/40K/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	5282	175W	4
65	DL34855470	96" STRIP - 65W/40K/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	8515	200W	4
	DL34955471	96" STRIP - 65W/50K/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	8580	200W	4
42	DL35055259	48" WRAP A-ROUND - 42W/40K/FR/DIMMABLE	<a href="#">SPEC SHEET</a>	4000K	4410	150W	4
	DL35155260	48" WRAP A-ROUND - 42W/50K/FR/DIMMABLE	<a href="#">SPEC SHEET</a>	5000K	4452	150W	4
<b>SELECT-A-WATT™ / TEMPERSWITCH™ FIXTURES (Selectable Wattage &amp; CCT)</b>							
18/25/30	DL35255610	48" STRIP - 18/25/30W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	3900	100W	6
	DL35355610-8WEM	48" STRIP - 18/25/30W/35-50K/DIMMABLE/8W EM BATTERY - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	3900	100W	6
34/38/45	DL35455611	48" STRIP - 34/38/45W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5895	150W	6
	DL35555611-8WEM	48" STRIP - 34/38/45W/35-50K/DIMMABLE/8W EM BATTERY - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5895	150W	6
<b>LED INTERIOR FIXTURES / TROFFER • 120-277V (cont'd)</b>							
38/46/54	DL35655612	96" STRIP - 38/46/54W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	7020	150W	4
	DL3575612-8WEM	96" STRIP - 38/46/54W/35-50K/DIMMABLE/8W EM BATTERY - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	7020	150W	4
65/75/90	DL35855613	96" STRIP - 65/75/90W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	11790	200W	4
	DL35955613-16WEM	96" STRIP - 65/75/90W/35-50K/DIMMABLE/16W EM BATTERY - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	11790	200W	4
22/30/40	DL36055594	48" STRIP RETROFIT - 22/30/40W/35-50K/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5280	150W	2
45/60/75	DL36155597	96" STRIP RETROFIT - 45/60/75W/35-50K/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	9900	200W	1
30/35/40	DL36255617	48" WRAP A-ROUND - 30/35/40W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5280	150W	4
	DL36355617-8WEM	48" WRAP A-ROUND - 30/35/40W/35-50K/DIMMABLE/8W EM BATTERY - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5280	150W	4
<b>LED INTERIOR FIXTURES / TROFFER • 120-277V</b>							
34	DL36455270	2X2 TROFFER - 34W/40K/DIMMABLE	<a href="#">SPEC SHEET</a>	4000K	3400	150W	1
42	DL36555272	2X4 TROFFER - 42W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4536	150W	1
30	DL36655075	2X2 CENTER BASKET - 30W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	3810	150W	1
34	DL36755079	2X4 CENTER BASKET - 34W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4318	150W	1
	DL36855080	2X4 CENTER BASKET - 34W/50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4352	150W	1
42	DL36955084	2X4 TROFFER RETROFIT/CENTER BASKET - 42W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	5376	175W	1

DIMM = DIMMABLE / **ES®** = ENERGY STAR®  
 FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY

LED INDOOR FIXTURES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
<b>SELECT-A-WATT™ / TEMPERSWITCH™ FIXTURES (Selectable Wattage &amp; CCT)</b>							
30/35/40	DL37055600	2X2 CENTER BASKET TROFFER - 30/35/40W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5000	150W	1
	DL37155600-8WEM	2X2 CB TROFFER - 30/35/40W/35-50K/DIMM/8W EM BATTERY - <b>DLC®</b>		35-50K	5000	150W	1
34/38/45	DL37255602	2X4 CENTER BASKET TROFFER - 34/38/45W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5715	175W	1
	DL37355602-8WEM	2X4 CB TROFFER - 34/38/45W/35-50K/DIMM/8W EM BATTERY - <b>DLC®</b>		35-50K	5715	175W	1
30/35/40	DL37455620	2X2 CENTER BASKET TROFFER RETROFIT - 30/35/40W/35-50K/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5040	150W	1
34/38/45	DL37555622	2X4 CENTER BASKET TROFFER RETROFIT - 34/38/45W/35-50K/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5805	175W	1
27/40	DL37655585	1X4 TROFFER - 27/40W/35/40/50K/DIMM	<a href="#">SPEC SHEET</a>	35-50K	5000	150W	1
27/36	DL37755586	2X2 TROFFER - 27/36W/35/40/50K/DIMM	<a href="#">SPEC SHEET</a>	35-50K	4500	150W	1
40/50	DL37855587	2X4 TROFFER - 40/50W/35/40/50K/DIMM	<a href="#">SPEC SHEET</a>	35-50K	6250	175W	1

LED PANELS / PREMIUM • 120-277V

2X2 EDGE-LIT PANELS

28	DL37955410	2X2 EDGE-LIT PANEL - 28W/35K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	3500	50W	2
	DL38055327	2X2 EDGE-LIT PANEL - 28W/40K/DIMMABLE/V5 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	3556	50W	2
	DL38155412	2X2 EDGE-LIT PANEL - 28W/50K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	3600	50W	2
	DL38255559	2X2 BACK-LIT PANEL - 28W/35K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	3500	50W	4
	DL38355560	2X2 BACK-LIT PANEL - 28W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	3500	50W	4
	DL38455561	2X2 BACK-LIT PANEL - 28W/50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	3500	50W	4
36	DL38555415	2X2 EDGE-LIT PANEL - 36W/50K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4700	100W	2
	DL38655562	2X2 BACK-LIT PANEL - 36W/35K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	4500	100W	4
	DL38755563	2X2 BACK-LIT PANEL - 36W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4500	100W	4
	DL38855564	2X2 BACK-LIT PANEL - 36W/50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4500	100W	4

2X4 EDGE-LIT PANELS

40	DL38455416	2X4 EDGE-LIT PANEL - 40W/35K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	5000	150W	2
	DL38555418	2X4 EDGE-LIT PANEL - 40W/50K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	5100	150W	2
	DL38655565	2X4 BACK-LIT PANEL - 40W/35K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	5000	150W	4
	DL38755566	2X4 BACK-LIT PANEL - 40W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	5000	150W	4
	DL38855567	2X4 BACK-LIT PANEL - 40W/50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	5000	150W	4
	55	DL38955419	2X4 EDGE-LIT PANEL - 55W/35K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	6875	200W
DL39055420		2X4 EDGE-LIT PANEL - 55W/40K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	6875	200W	2
DL39155421		2X4 EDGE-LIT PANEL - 55W/50K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	6875	200W	2

LED PANELS / SELECT-A-WATT™ • 100-277V

40	DL39255404	1X4 SELECT-A-WATT™ PANEL 40W/30-50K/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	30-50K	4240	100W	2
	DL39355400	2X2 SELECT-A-WATT™ PANEL 40W/30-50K/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	30-50K	4400	100W	2
50	DL39455402	2X4 SELECT-A-WATT™ PANEL 50W/30-50K/DIMM - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	30-50K	5600	150W	2

ACCESSORIES

DL39555398	WIRELESS WALL DIMMER FOR LED SELECT-A-WATT™ PANEL	<a href="#">SPEC SHEET</a>					100
DL39655399	HANDHELD REMOTE FOR LED SELECT-A-WATT™ PANEL						100
DL39755397	WALL MOUNT ONLY FOR HANDHELD REMOTE FOR SELECT-A-WATT™ PANEL	<a href="#">SPEC SHEET</a>					300

LED PANELS / STANDARD • 120-277V

1X4 PANELS

40	DL39855425	1X4 EDGE-LIT PANEL - 40W/35K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	4450	75W	2
	DL39955426	1X4 EDGE-LIT PANEL - 40W/40K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4500	75W	2
	DL40055427	1X4 EDGE-LIT PANEL - 40W/50K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4500	75W	2
	DL40155550	1X4 BACK-LIT PANEL - 40W/35K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	4400	75W	4
	DL40255551	1X4 BACK-LIT PANEL - 40W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4400	75W	4
	DL40355552	1X4 BACK-LIT PANEL - 40W/50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4400	75W	4

2X2 PANELS

40	DL40455428	2X2 EDGE-LIT PANEL - 40W/35K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	4450	75W	2
	DL40555429	2X2 EDGE-LIT PANEL - 40W/40K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4500	75W	2
	DL40655430	2X2 EDGE-LIT PANEL - 40W/50K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4500	75W	2
	DL40755553	2X2 BACK-LIT PANEL - 40W/35K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	4400	75W	4

DIMM = DIMMABLE / ES® = ENERGY STAR®  
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY













## LED INDOOR FIXTURES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
	DL40855554	2X2 BACK-LIT PANEL - 40W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4400	75W	4
	DL40955555	2X2 BACK-LIT PANEL - 40W/50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4400	75W	4
<b>2X4 PANELS</b>							
50	DL41055431	2X4 EDGE-LIT PANEL - 50W/35K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	5550	150W	2
	DL41155432	2X4 EDGE-LIT PANEL - 50W/40K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	5600	150W	2
	DL41255433	2X4 EDGE-LIT PANEL - 50W/50K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	5600	150W	2
	DL41355556	2X4 BACK-LIT PANEL - 50W/35K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	3500K	5500	150W	4
	DL41455557	2X4 BACK-LIT PANEL - 50W/40K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	5500	150W	4
	DL41555558	2X4 BACK-LIT PANEL - 50W/50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	5500	150W	4
75	DL41655435	2X4 EDGE-LIT PANEL - 75W/40K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	8300	200W	2
	DL41755436	2X4 EDGE-LIT PANEL - 75W/50K/DIMMABLE/V6 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	8300	200W	2
<b>SELECT-A-WATT™/ TEMPERSWITCH™ PANELS (Selectable Wattage &amp; CCT)</b>							
25/30/40	DL41855580	1X4 PANEL - 25/30/40W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	4480	100W	4
	DL41955580-8WEM	1X4 PANEL - 25/30/40W/35-50K/DIMMABLE/8W EM BATTERY - <b>DLC®</b>		35-50K	4480	100W	4
25/30/40	DL42055581	2X2 PANEL - 25/30/40W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	4480	100W	4
	DL42155581-8WEM	2X2 PANEL - 25/30/40W/35-50K/DIMMABLE/8W EM BATTERY - <b>DLC®</b>		35-50K	4480	100W	4
30/40/50	DL42255582	2X4 PANEL - 30/40/50W/35-50K/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5600	150W	4
	DL42355582-8WEM	2X4 PANEL - 30/40/50W/35-50K/DIMMABLE/8W EM BATTERY - <b>DLC®</b>		35-50K	5600	150W	4
<b>ACCESSORIES</b>							
	DL42455440	1X4 SURFACE MOUNTED KIT FOR LED PANEL/WHITE/V6	<a href="#">SPEC SHEET</a>				50
	DL42555441	2X2 SURFACE MOUNTED KIT FOR LED PANEL/WHITE/V6	<a href="#">SPEC SHEET</a>				50
	DL42655442	2X4 SURFACE MOUNTED KIT FOR LED PANEL/WHITE/V6	<a href="#">SPEC SHEET</a>				25
	DL42755445	SUSPENDED CABLE MOUNTING KIT FOR LED PANEL/V6	<a href="#">SPEC SHEET</a>				100
	DL42855356	MOUNTING BRACKET FOR EMERGENCY BATTERY FOR 1X4 LED PANEL/V5	<a href="#">SPEC SHEET</a>				1
	DL42955357	MOUNTING BRACKET FOR EMERGENCY BATTERY FOR 2X2 OR 2X4 LED PANEL/V5	<a href="#">SPEC SHEET</a>				1
	DL43055393	MOUNTING BRACKET ONLY FOR (55394) EMERGENCY PACK FOR LED PANEL					1
8	DL43155394	EMERGENCY PACK FOR LED PANEL 8W/90 MIN	<a href="#">SPEC SHEET</a>				10
15	DL43255449	EMERGENCY PACK FOR LED PANEL 15W/90 MIN - <b>T20C</b>	<a href="#">SPEC SHEET</a>				6
25	DL43355450	EMERGENCY PACK FOR LED PANEL 25W/90 MIN - <b>T20C</b>	<a href="#">SPEC SHEET</a>				6
<b>LED READY FIXTURES - Lamps not included.</b>							
	DL43455054	DIAMOND SHAPED HIGH BAY FOR 4 T8	<a href="#">SPEC SHEET</a>				1
	DL43555652	DIAMOND SHAPED HIGH BAY FOR 4 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL43655058	DIAMOND SHAPED HIGH BA FOR 8 T8	<a href="#">SPEC SHEET</a>				1
	DL43755655	LINEAR HIGH BAY FOR 4 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL43855657	LINEAR HIGH BAY FOR 8 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL43955640	48" NARROW STRIP FIXTURE FOR 1 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL44055641	48" STRIP FIXTURE FOR 2 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL44156027	48" STRIP FIXTURE FOR 2 T8/BLACK	<a href="#">SPEC SHEET</a>				1
	DL44255643	96" TANDEM STRIP FIXTURE FOR 4 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL44356028	96" TANDEM STRIP FIXTURE FOR 4 T8/BLACK	<a href="#">SPEC SHEET</a>				1
<b>LED READY FIXTURES - Lamps not included. (cont'd)</b>							
	DL44455645	48" WRAP A ROUND FOR 2 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL44555044	2X4 TROFFER FOR 2 T8	<a href="#">SPEC SHEET</a>				1
	DL44655046	2X4 TROFFER FOR 3 T8	<a href="#">SPEC SHEET</a>				1
	DL44755648	2X4 TROFFER FOR 4 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL44855049	2X2 9 CELL PARABOLIC 2 T8/U6	<a href="#">SPEC SHEET</a>				1
	DL44955050	2X4 18 CELL PARABOLIC 3 T8	<a href="#">SPEC SHEET</a>				1
	DL45055651	2X4 RECESSED DIRECT/INDIRECT FOR 2 T8/DE	<a href="#">SPEC SHEET</a>				1
	DL45157739	48" VAPOR TIGHT (2) T8/FROSTED LENS	<a href="#">SPEC SHEET</a>				4
	DL45257742	48" VAPOR TIGHT (3) T8/FROSTED LENS	<a href="#">SPEC SHEET</a>				1
	DL45357746	48" VAPOR TIGHT (4) T8/FROSTED LENS	<a href="#">SPEC SHEET</a>				1
	DL45457747	96" VAPOR TIGHT TANDEM (4) T8/FROSTED LENS	<a href="#">SPEC SHEET</a>				1

DIMM = DIMMABLE / **ES®** = ENERGY STAR®  
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY

LED INDOOR FIXTURES

	WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
<b>LED RETROFIT CANS</b>								
	10	DL45590910	4" RETROFIT CAN 10W/30K/MED/120V/DIMMABLE/V4 - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	700	60W	12
		DL45690919	4" RETROFIT SQ CAN 10W/30K/MED/120V/DIMMABLE/V4 - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	610	60W	12
	10.5	DL45790925	5"/6" RETROFIT CAN 10.5W/30K/90CRI/WHT TRIM/MED/120V/DIMM/V5 - ES®	<a href="#">SPEC SHEET</a>	3000K	760	60W	12
		DL45890927	5"/6" RETROFIT CAN 10.5W/40K/90CRI/WHT TRIM/MED/120V/DIMM/V5 - ES®	<a href="#">SPEC SHEET</a>	4000K	760	60W	12
		DL45990916	5"/6" RETROFIT CAN 10.5W/50K/90CRI/WHT TRIM/MED/120V/DIMM/V5 - ES®	<a href="#">SPEC SHEET</a>	5000K	840	75W	12
	15	DL46090922	5"/6" RETROFIT CAN 15W/30K/90CRI/WHT TRIM/MED/120V/DIMM/V5 - ES®	<a href="#">SPEC SHEET</a>	3000K	1000	75W	12
		DL46190928	5"/6" RETROFIT CAN 15W/50K/90CRI/WHT TRIM/MED/120V/DIMM/V5 - ES®	<a href="#">SPEC SHEET</a>	5000K	1000	75W	12
		DL46291003	6" RETROFIT CAN/WHITE/15W/30K/110-277V DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	1100	75W	12
		DL46391004	6" RETROFIT CAN/WHITE/15W/50K/110-277V DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	5000K	1100	75W	12
	25	DL46490992	8" RETROFIT CAN/WHITE/25W/30K/100-277V/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	1950	100W	6
		DL46590993	8" RETROFIT CAN/WHITE/25W/50K/100-277V/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	5000K	1950	100W	6
	30	DL46690994	8" RETROFIT CAN/WHITE/30W/30K/100-277V/DIMMABLE	<a href="#">SPEC SHEET</a>	3000K	2350	100W	6
		DL46790995	8" RETROFIT CAN/WHITE/30W/50K/100-277V/DIMMABLE	<a href="#">SPEC SHEET</a>	5000K	2350	100W	6
<b>ACCESSORY</b>								
		DL46890905-QC	CONNECTOR FOR GU24 BASE FOR 4" AND 5"/6" CANS					1
<b>TEMPERSWITCH™ FIXTURES (Selectable CCT)</b>								
	10	DL46990901	4" RETROFIT CAN 10W - 27/30/40/50K/120V/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	27-50K	650	60W	12
	15	DL47090902	6" RETROFIT CAN 15W - 27/30/40/50K/120V/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	27-50K	1200	75W	12
	10	DL47193090	4" SLIM DOWNLIGHT 10W - 27/30/35/40/50K/120V/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	27-50K	650	60W	12
	15	DL47293091	6" SLIM DOWNLIGHT 15W - 27/30/35/40/50K/120V/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	27-50K	1100	75W	12
<b>LED RETROFIT DISK LIGHTS • 120V</b>								
	15	DL47391013	5"/6" DISK LIGHT 15W/30K/MED/DIMMABLE/JA8 - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	1100	75W	12
		DL47491014	5"/6" DISK LIGHT 15W/40K/MED/DIMMABLE/JA8 - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	1150	75W	12
		DL47591015	5"/6" DISK LIGHT 15W/50K/MED/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	5000K	1200	75W	12
<b>LED RETROFIT COMMERCIAL CANS • 110-277V</b>								
	40	DL47691442	6" COMMERCIAL CAN 25W/50K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	5000K	2000	100W	1
		DL47791449	8" COMMERCIAL CAN 40W/30K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	3600	150W	1
		DL47891450	8" COMMERCIAL CAN 40W/40K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	4050	150W	1
		DL47991451	8" COMMERCIAL CAN 40W/50K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	5000K	4050	150W	1
	40	DL48091454	10" COMMERCIAL CAN 40W/30K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	3000K	3600	150W	1
		DL48191455	10" COMMERCIAL CAN 40W/40K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	4000K	4050	150W	1
		DL48291456	10" COMMERCIAL CAN 40W/50K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	5000K	4050	150W	1
<b>SELECT-A-WATT™ / TEMPERSWITCH™ FIXTURES (Selectable Wattage &amp; CCT)</b>								
10/15/22	DL48390996	6" COMMERCIAL CAN - 10/15/22W/30-50K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	30-50K	1950	75W	6	
12/20/30	DL48490997	8" COMMERCIAL CAN - 12/20/30W/30-50K/DIMMABLE - ENERGY STAR®	<a href="#">SPEC SHEET</a>	30-50K	2500	100W	6	
<b>LED MAGNETIC MODULES • 100-277V</b>								
	25	DL48593801	MAGNETIC MODULE/25W/50K/FR/DIMMABLE/2X24" - DLC®	<a href="#">SPEC SHEET</a>	5000K	2850	150W	10
		DL48693805	MAGNETIC MODULE/32W/50K/FR/DIMMABLE/2X48" - DLC®	<a href="#">SPEC SHEET</a>	5000K	3700	150W	10
	40	DL48793806	MAGNETIC MODULE/40W/40K/FR/DIMMABLE/2X48" - DLC®	<a href="#">SPEC SHEET</a>	4000K	4600	200W	10
		DL48893807	MAGNETIC MODULE/40W/50K/FR/DIMMABLE/2X48" - DLC®	<a href="#">SPEC SHEET</a>	5000K	4650	200W	10

DIMM = DIMMABLE / ES® = ENERGY STAR®  
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY

LED INDOOR FIXTURES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
	DL48993808	MAGNETIC MODULE/40W/40K/FR/DIMMABLE/3X48" - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4600	200W	10
	DL49093809	MAGNETIC MODULE/40W/50K/FR/DIMMABLE/3X48" - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4650	200W	10
<b>LED MAGNETIC MODULES • 100-277V (cont'd)</b>							
50	DL49193810	MAGNETIC MODULE/50W/40K/FR/DIMMABLE/2X48" - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	5280	200W	10
	DL49293811	MAGNETIC MODULE/50W/50K/FR/DIMMABLE/2X48" - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	5350	200W	10
	DL49393813	MAGNETIC MODULE/50W/50K/FR/DIMMABLE/2X96" - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	5350	200W	5
<b>ACCESSORIES</b>							
32	DL494937197	DIMMABLE DRIVER FOR LED MAGNETIC MODULE/32W	<a href="#">SPEC SHEET</a>				1
50	DL495937127	DIMMABLE DRIVER FOR LED MAGNETIC MODULE/50W	<a href="#">SPEC SHEET</a>				1
	DL49693748	MOUNTING CLIPS FOR MAGNETIC MODULES/2 PER SET					1
	DL49793650	SINGLE PACKAGE FOR 2X24"					10
	DL49893651	SINGLE PACKAGE FOR 2X48"					10
	DL49993652	SINGLE PACKAGE FOR 3X48" OR 4X48" OR 2X96"					10
<b>LED MINI MODULES • 120V</b>							
9	DL50087005	2' MINI MODULE 10W/40K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	1269	75W	36
	DL50187006	2' MINI MODULE 10W/50K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	1289	75W	36
11	DL50287010	3' MINI MODULE 12W/40K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	1513	75W	36
	DL50387011	3' MINI MODULE 12W/50K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	1538	75W	36
	DL50487015	4' MINI MODULE 12W/40K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	1511	75W	36
	DL50587016	4' MINI MODULE 12W/50K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	1535	75W	36
14	DL50687020	4' MINI MODULE 15W/40K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	1824	100W	36
	DL50787021	4' MINI MODULE 15W/50K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	1853	100W	36
18	DL50887025	4' MINI MODULE 18W/40K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	2321	100W	36
	DL50987026	4' MINI MODULE 18W/50K/FR - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	2359	100W	36
<b>ACCESSORIES</b>							
	DL51087036	MINI SET OF (2) MAGNETIC BRACKETS	<a href="#">SPEC SHEET</a>				1
	DL51187038	MINI FLEXIBLE LINKING CORD CONNECTOR	<a href="#">SPEC SHEET</a>				1
	DL51287030	MINI POWER CONNECTOR FOR 2 FIXTURES	<a href="#">SPEC SHEET</a>				1
	DL51387031	MINI POWER CONNECTOR FOR 3 FIXTURES	<a href="#">SPEC SHEET</a>				1
	DL51487032	MINI POWER CONNECTOR FOR 4 FIXTURES	<a href="#">SPEC SHEET</a>				1
<b>LED UNDER COUNTER • 120V</b>							
8	DL51591102	8W UNDER COUNTER LIGHT/21.2"/WHITE/40K	<a href="#">SPEC SHEET</a>	4000K	898	75W	25
12	DL51691107	12W UNDER COUNTER LIGHT/33"/WHITE/40K	<a href="#">SPEC SHEET</a>	4000K	1303	75W	25
14	DL51791101	14W UNDER COUNTER LIGHT/39.3"/WHITE/40K	<a href="#">SPEC SHEET</a>	4000K	1577	75W	25
<b>ACCESSORIES</b>							
	DL51891112	POWER CORD FOR LED UNDER COUNTER LIGHT/72"/WHITE					1
	DL51991116	CONNECTOR CORD FOR LED UNDER COUNTER LIGHT/18"/WHITE					1
<b>LED VAPOR TIGHT • 120-277V</b>							
20	DL52055371	2' VAPOR TIGHT - 20W/40K/FR LENS/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	2620	100W	4
	DL52155372	2' VAPOR TIGHT - 20W/50K/FR LENS/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	2640	100W	4
34	DL52255374	4' VAPOR TIGHT - 34W/40K/FR LENS/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	4420	150W	4
	DL52355375	4' VAPOR TIGHT - 34W/50K/FR LENS/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	4454	150W	4
52	DL52455377	4' VAPOR TIGHT - 52W/40K/FR LENS/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	6760	175W	4
	DL52555378	4' VAPOR TIGHT - 52W/50K/FR LENS/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	6812	175W	4
75	DL52655380	8' VAPOR TIGHT - 75W/40K/FR LENS/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	4000K	9750	250W	4
	DL52755381	8' VAPOR TIGHT - 75W/50K/FR LENS/DIMMABLE/V2 - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	5000K	9825	250W	4
<b>SELECT-A-WATT™ / TEMPERSWITCH™ FIXTURES (Selectable Wattage &amp; CCT)</b>							
25/30/34	DL52855605	4' VAPOR TIGHT - 25/30/34W/35-50K/FR LENS/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	4522	150W	4
	DL52955605-8WEM	4' VAPOR TIGHT - 25/30/34W/35-50K/FR LENS/DIMM/8W EM BATTERY - <b>DLC®</b>		35-50K	4522	150W	4
34/38/45	DL53055606	4' VAPOR TIGHT - 34/38/45W/35-50K/FR LENS/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	5850	175W	4
	DL53155606-8WEM	4' VAPOR TIGHT - 34/38/45W/35-50K/FR LENS/DIMM/8W EM BATTERY - <b>DLC®</b>		35-50K	5850	175W	4
65/75/90	DL53255608	8' VAPOR TIGHT - 65/75/90W/35-50K/FR LENS/DIMMABLE - <b>DLC®</b>	<a href="#">SPEC SHEET</a>	35-50K	11700	250W	4

DIMM = DIMMABLE / **ES®** = ENERGY STAR®  
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY