















LED OUTDOOR FIXTURES

	WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE	
LED CANOPY <i>Customizable finish & CCT.</i>									
	27	DL53383086	CANOPY 27W/50K/120-277V/BLACK/V4 - DLC®	SPEC SHEET	5000K	2890	100W	4	
		DL53483086-W	CANOPY 27W/50K/120-277V/WHITE/V4 - DLC®	SPEC SHEET	5000K	2890	100W	4	
	40	DL53583338	CANOPY 40W/40K/120-277V/BLACK/V3 - DLC®	SPEC SHEET	4000K	5350	175W	6	
		DL53683088	CANOPY 40W/50K/120-277V/BLACK/DIMM/V4 - DLC®	SPEC SHEET	5000K	4800	175W	4	
		DL53783088-W	CANOPY 40W/50K/120-277V/WHITE/DIMM/V4 - DLC®	SPEC SHEET	5000K	4800	175W	4	
		DL53883088-A	CANOPY 40W/50K/120-277V/AMBER/DIMM/V2 - (Wildlife Friendly)	SPEC SHEET	2200K	-	175W	4	
	60	DL53983089	CANOPY 60W/40K/120-277V/BLACK/DIMM/V4 - DLC®	SPEC SHEET	4000K	6720	400W	4	
		DL54083090	CANOPY 60W/50K/120-277V/BLACK/DIMM/V4 - DLC®	SPEC SHEET	5000K	6900	400W	4	
		DL54183090-W	CANOPY 60W/50K/120-277V/WHITE/DIMM/V4 - DLC®	SPEC SHEET	5000K	6900	400W	4	
		DL54383092-W	CANOPY 75W/50K/120-277V/WHITE/DIMM/V4 - DLC®	SPEC SHEET	5000K	8625	250W	4	
	75	DL54283092	CANOPY 75W/50K/120-277V/BLACK/DIMM/V4 - DLC®	SPEC SHEET	5000K	8625	250W	4	
		DL54383092-W	CANOPY 75W/50K/120-277V/WHITE/DIMM/V4 - DLC®	SPEC SHEET	5000K	8625	250W	4	
	75	DL54490004	LOW PROFILE CANOPY 75W/50K/100-277V DIMMABLE - DLC®	SPEC SHEET	5000K	9300	250W	1	
		100	DL54590005	LOW PROFILE CANOPY 100W/50K/100-277V DIMMABLE - DLC®	SPEC SHEET	5000K	12400	400W	1
		130	DL54690006	LOW PROFILE CANOPY 130W/50K/100-277V DIMMABLE - DLC®	SPEC SHEET	5000K	16120	400W	1
LED DUSK TO DAWN • 100-277V <i>Customizable finish & CCT.</i>									
	35	DL54783732	35W DUSK TO DAWN W/LENS PHOTO CELL/MOUNTING ARM/40K -	SPEC SHEET	4000K	3507	100W	4	
		45	DL54883734	45W DUSK TO DAWN W/LENS PHOTO CELL/MOUNTING ARM/40K - DLC®	SPEC SHEET	4000K	5174	175W	4
LED FLOOD LIGHTS <i>Customizable finish & CCT.</i>									
	15	DL54983263	15W MINI FLOOD LIGHT/BRZ - 1/2" KNUCKLE/40K/120-277V -	SPEC SHEET	4000K	1500	50W	48	
		30	DL55083265	30W MINI FLOOD LIGHT/BRZ - 1/2" KNUCKLE/40K/120-277V -	SPEC SHEET	4000K	3000	100W	24
	45	DL55183267	45W MINI FLOOD LIGHT/BRZ - 1/2" KNUCKLE/40K/120-277V - DLC®	SPEC SHEET	4000K	5400	175W	12	
		DL55283270	45W MINI FLOOD LIGHT/BRZ - TRUNNION/40K/120-277V - DLC®	SPEC SHEET	4000K	5400	175W	12	
		DL55384132	20W FLOOD LIGHT - 1/2" KNUCKLE/40K/120-277V/BRONZE/V2 - DLC®	SPEC SHEET	4000K	2620	100W	6	
		30	DL55484134	30W FLOOD LIGHT - 1/2" KNUCKLE/40K/120-277V/BRONZE/V2 - DLC®	SPEC SHEET	4000K	3670	150W	6
	50	DL55584136	50W FLOOD LIGHT - 1/2" KNUCKLE/40K/120-277V/BRONZE/V2 - DLC®	SPEC SHEET	4000K	6600	175W	1	
		70	DL55684138	70W FLOOD LIGHT - 1/2" KNUCKLE/40K/120-277V/BRONZE/V2 - DLC®	SPEC SHEET	4000K	9000	250W	1
	150	DL55784140	150W FLOOD LIGHT - SLIP FITTER/40K/120-277V/BRONZE/V2 - DLC®	SPEC SHEET	4000K	19500	400W	1	
		200	DL55884142	200W FLOOD LIGHT - SLIP FITTER/40K/120-277V/BRONZE/V2 - DLC®	SPEC SHEET	4000K	24600	400W	1
		DL55984534	30W BULLET/FL/30K/100-277V/V2 - DLC®	SPEC SHEET	3000K	3780	100W	8	
ACCESSORIES									
		DL56084115	WIRE GUARD FOR LED FLOOD LIGHT/BRONZE/V2 - 84132/84134	SPEC SHEET				100	
		DL56184119	WIRE GUARD FOR LED FLOOD LIGHT/BRONZE/V2 - 84136/84138	SPEC SHEET				50	
		DL56284123	WIRE GUARD FOR LED FLOOD LIGHT/BRONZE/V2 - 84140/84142	SPEC SHEET				40	
		DL56384116	TOP VISOR FOR LED FLOOD LIGHT/BRONZE/V2 - 84132/84134	SPEC SHEET				20	
		DL56484120	TOP VISOR FOR LED FLOOD LIGHT/BRONZE/V2 - 84136/84138	SPEC SHEET				20	
		DL56584124	TOP VISOR FOR LED FLOOD LIGHT/BRONZE/V2 - 84140/84142	SPEC SHEET				20	
		DL56684143	TRUNNION MOUNT ONLY FOR FLOOD LIGHT/BRONZE/V2 - 84132/84134/84136/84138	SPEC SHEET				20	

DIMM = DIMMABLE / **ES®** = ENERGY STAR®
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY

LED OUTDOOR FIXTURES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
-------	-------------	-------------	------------	-----	--------	--------------	------

DL56784144 TRUNNION MOUNT ONLY FOR FLOOD LIGHT/BRONZE/V2 - 84140/84142 [SPEC SHEET](#) 20

LED POST TOP • 120-277V Customizable finish & CCT.



40	DL56883436	LED POST TOP 40W/50K - DLC®	SPEC SHEET	5000K	4640	175W	1
80	DL56983439	LED POST TOP 80W/50K - DLC®	SPEC SHEET	5000K	9225	250W	1
100	DL57083441-PC	LED POST TOP 100W/50K/120-277V/BLACK/PHOTO CELL	SPEC SHEET	5000K	12220	400W	1

LED SHOEBOX FIXTURES Customizable finish & CCT.

100-277V



51	DL57183923	SHOE BOX 51W/50K/100-277V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	5378	175W	1
76	DL57283925	SHOE BOX 76W/50K/100-277V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	9253	250W	1
101	DL57383927	SHOE BOX 101W/50K/100-277V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	11022	400W	1
148	DL57483929	SHOE BOX 148W/50K/100-277V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	18185	400W	1
283	DL57583933	SHOE BOX 283W/50K/100-277V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	34065	1000W	1

200-480V

111	DL57683935	SHOE BOX FIXTURE 111W/50K/200-480V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	11658	400W	1
150	DL57783937	SHOE BOX FIXTURE 150W/50K/200-480V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	18003	400W	1
229	DL57883939	SHOE BOX FIXTURE 229W/50K/200-480V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	23577	750W	1
292	DL57983941	SHOE BOX FIXTURE 292W/50K/200-480V/POLE/WALL MOUNT/BRZ/V2 - DLC®	SPEC SHEET	5000K	35265	1000W	1

LED SHOE BOX RETROFIT • 100-277V Additional wattages, dimmable version and 480V fixtures available on request.



45	DL58083773	45W SHOE BOX RETROFIT/120°/50K/V5 - DLC®	SPEC SHEET	5000K	5714	175W	6
	DL58183418	45W SHOE BOX RETROFIT/120°/AMBER - (Wildlife Friendly)	SPEC SHEET	AMBER	988	50W	6
50	DL58283783	50W SHOE BOX RETROFIT/120°/50K/V5 - DLC®	SPEC SHEET	5000K	6728	175W	6
70	DL58383793	70W SHOE BOX RETROFIT/120°/50K/V5 - DLC®	SPEC SHEET	5000K	9112	250W	6
75	DL58483419	75W SHOE BOX RETROFIT/120°/AMBER - (Wildlife Friendly)	SPEC SHEET	AMBER	2380	100W	6
100	DL58583803	100W SHOE BOX RETROFIT/120°/50K/V5 - DLC®	SPEC SHEET	5000K	13123	400W	6
150	DL58683823	150W SHOE BOX RETROFIT/120°/50K/V5 - DLC®	SPEC SHEET	5000K	18913	400W	4
200	DL58783833	200W SHOE BOX RETROFIT/120°/50K/V5 - DLC®	SPEC SHEET	5000K	23578	750W	4
310	DL58883853	310W SHOE BOX RETROFIT/120°/50K/V5 - DLC®	SPEC SHEET	5000K	40021	1000W	4

ACCESSORIES

DL58983483	E26 BASE ONLY FOR LED SHOEBOX RETROFIT	1
DL59083484	E39 BASE ONLY	1

LED SPORTS LIGHTER Customizable finish & CCT. Some items may be special order, please consult with factory

100-277V



400	DL59184101	400W SPORTS LIGHTER/50K/30° - DLC®	SPEC SHEET	5000K	51464	1500W	1
	DL59284231	500W SPORTS LIGHTER/50K/30°/DIMMABLE/V2 - DLC®	SPEC SHEET	5000K	63076	1500W	1
500	DL59384233	500W SPORTS LIGHTER/50K/30°/DIMMABLE/V2 - DLC®	SPEC SHEET	5000K	76525	1500W+	1
605	DL59484103	600W SPORTS LIGHTER/50K/40° - DLC®	SPEC SHEET	5000K	79538	1500W+	1
750	DL59584104	750W SPORTS LIGHTER/50K/40° - DLC®	SPEC SHEET	5000K	98590	1500W+	1

200-480V

300	DL59684107	300W SPORTS LIGHTER/50K/30°/200-480V - DLC®	SPEC SHEET	5000K	40617	1000W	1
600	DL59784252	600W SPORTS LIGHTER/50K/30°/277-480V/DIMM/V2 - DLC®	SPEC SHEET	5000K	90756	1500W+	1
1250	DL59884113	1250W SPORTS LIGHTER/50K/40°/200-480V - DLC®	SPEC SHEET	5000K	165154	1500W+	1

ACCESSORIES

DL59984502	LASER SCOPE KIT FOR LED SPORTS LIGHTER LIGHT/RED LIGHT -	1
DL60084080	U BRACKET AND SLIP FITTER FOR 300W-600W SPORTS LIGHTER -	SPEC SHEET 5

DIMM = DIMMABLE / ES® = ENERGY STAR®
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY




LED OUTDOOR FIXTURES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
-------	-------------	-------------	------------	-----	--------	--------------	------

LED AREA LIGHT Customizable finish & CCT. Some items may be special order, please consult with factory

120-277V

	80	DL60183965	AREA LIGHT 80W/50K/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	11329	200W	1
	100	DL60283968	AREA LIGHT 100W/50K/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	14627	250W	1
	150	DL60383971	AREA LIGHT 150W/50K/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	20723	400W	1
	185	DL60483974	AREA LIGHT 185W/50K/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	25843	750W	1
	300	DL60583977	AREA LIGHT 300W/50K/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	42218	1000W	1

347-480V

	80	DL60683980	AREA LIGHT 80W/50K/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	11894	200W	1
	150	DL60783982	AREA LIGHT 150W/50K/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	21327	400W	1
	300	DL60883984	AREA LIGHT 300W/50K/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	42616	1000W	1

LED AREA LIGHT (cont'd)

ACCESSORIES For DLC® qualification one of the Quick-Mount brackets must be purchased. The mounting bracket is not included with the fixture, it is ordered separately.

		DL60983955	QUICK MOUNT SLIP FITTER FOR AREA LIGHT/BRONZE/V2	SPEC SHEET				10
		DL61083956	QUICK MOUNT ADAPTER TO MOUNT ON ROUND OR POLE FOR AREA LIGHT/BRONZE/V2	SPEC SHEET				10
		DL61183960	QUICK MOUNT TRUNNION MOUNT BRACKET FOR AREA LIGHT/BRONZE/V2	SPEC SHEET				10
		DL61283646	ADAPTER TO MOUNT A SLIP FITTER ON A POLE OR WALL/BRZ/V2	SPEC SHEET				10
		DL61384004	GLARE SHIELD FOR LED AREA LIGHT 80W TO 1850W/V2	SPEC SHEET				10
		DL61484005	GLARE SHIELD FOR LED AREA LIGHT 240W TO 300W/V2	SPEC SHEET				10
		DL61583963	PHOTO CONTROL FOR LED AREA LIGHT V2 FIXTURE/120-277V	SPEC SHEET				50
		DL61683964	PHOTO CONTROL FOR LED AREA LIGHT V2 FIXTURE/480V	SPEC SHEET				50



LED VAPOR TIGHT JELLY JARS • 100-277V

	14	DL61788630	VAPOR TIGHT GLASS JELLY JAR 14W/40K/FR/CEILING MOUNT	SPEC SHEET	4000K	900	75W	4
		DL61888632	VAPOR TIGHT GLASS JELLY JAR 14W/40K/FR/WALL MOUNT	SPEC SHEET	4000K	900	75W	4

ACCESSORIES

		DL61988637	FROSTED GLASS COVER FOR LED JELLY JAR					40
		DL62088638	YELLOW GLASS COVER FOR LED JELLY JAR					40
		DL62188639	BLUE GLASS COVER FOR LED JELLY JAR					40



LED WALL PACKS Customizable finish & CCT.

	15	DL62283116	MINI WP 15W/41K/CL/BLACK/90-264V	SPEC SHEET	4100K	1500	25W	8
	13	DL62383170-NP	MINI WP 13W/30K/FR/BLACK/120V -	SPEC SHEET	3000K	1200	25W	12
	25	DL62583691	MINI WP 25W/40K/CL/BLK/PC/120-277V/DIMM - DLC®	SPEC SHEET	4000K	3174	50W	8
		DL62683285	MINI WP 25W/40K/CL/WHITE/120-277V - DLC®	SPEC SHEET	4000K	2500	50W	12
	25	DL62783328	WALL PACK 25W/50K/120-277V	SPEC SHEET	5000K	2930	100W	1
	40	DL62884170	WALL PACK 40W/50K/120-277V/BRONZE/V2 - DLC®	SPEC SHEET	5000K	4800	175W	1
	60	DL62984172	WALL PACK 60W/50K/120-277V/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	7200	250W	1
	80	DL63084174	WALL PACK 80W/50K/120-277V/BRONZE/V2 - DLC®	SPEC SHEET	5000K	9760	320W	1
	120	DL63184176	WALL PACK 120W/50K/120-277V/DIMMABLE/BRZ/V2 - DLC®	SPEC SHEET	5000K	15800	400W	1

ACCESSORIES




		DL63283335	SHIELD ONLY FOR LED WALL PACK	SPEC SHEET				1
		DL63383336	PHOTO CELL FOR LED WALL PACK/120-277V	SPEC SHEET				1

LED WALL PACKS - CUTOFF • 120-277V Customizable finish & CCT.

	20	DL63483359	SLIM CUTOFF WALL PACK 30W/50K/120-277V	SPEC SHEET	5000K	2620	100W	6
	30	DL63583362	SLIM CUTOFF WALL PACK 30W/50K/120-277V - DLC®	SPEC SHEET	5000K	3450	100W	8
	50	DL63683365	SLIM CUTOFF WALL PACK 50W/50K/120-277V - DLC®	SPEC SHEET	5000K	5700	250W	8
	75	DL63783368	SLIM CUTOFF WALL PACK 75W/50K/120-277V - DLC®	SPEC SHEET	5000K	9000	320W	6
	100	DL63883371	SLIM CUTOFF WALL PACK 100W/50K/120-277V - DLC®	SPEC SHEET	5000K	12000	400W	6
	30	DL63983900	AREA LIGHT FULL CUTOFF WP 30W/50K/BRZ - DLC®	SPEC SHEET	5000K	4076	100W	1
	50	DL64083903	AREA LIGHT FULL CUTOFF WP 50W/50K/BRZ - DLC®	SPEC SHEET	5000K	6519	150W	1
	80	DL64183906	AREA LIGHT FULL CUTOFF WP 80W/50K/BRZ - DLC®	SPEC SHEET	5000K	10405	200W	1
	120	DL64283909	AREA LIGHT FULL CUTOFF WP 120W/50K/BRZ - DLC®	SPEC SHEET	5000K	15316	250W	1

DIMM = DIMMABLE / **ES®** = ENERGY STAR®
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY

LED OUTDOOR FIXTURES

WATTS	BOOK ITEM #	DESCRIPTION	SPEC SHEET	CCT	LUMENS	TRAD. EQUIV.	CASE
SELECT-A-WATT™ / TEMPERSWITCH™ FIXTURES (Selectable Wattage & CCT)							
 20/30 45/50	DL64383910	AREA LIGHT FULL CUTOFF WALL PACK 20-50W/30-50K/BRZ - DLC®	SPEC SHEET	5000K	6343	150W	1
	DL64483913	AREA LIGHT FULL CUTOFF WALL PACK 20-50W/30-50K/WHT - DLC®	SPEC SHEET	5000K	6343	150W	1
80/90 100/120	DL64583911	AREA LIGHT FULL CUTOFF WALL PACK 80-120W/30-50K/BRZ - DLC®	SPEC SHEET	5000K	14500	250W	1
	DL64683915	AREA LIGHT FULL CUTOFF WALL PACK 80-120W/30-50K/WHT - DLC®	SPEC SHEET	5000K	14500	250W	1
ACCESSORIES							
	DL64783896	MICROWAVE MOTION SENSOR FOR LED AREA LIGHT FULL CUTOFF WALL PACK/120-347V	SPEC SHEET				200
4	DL64883895	EM BATTERY FOR LED AREA LIGHT FULL CUTOFF WALL PACK 4W/90 MIN/100-277V - T20C	SPEC SHEET				50
8	DL64983893	EM BATTERY FOR LED AREA LIGHT FULL CUTOFF WALL PACK 8W/90 MIN/100-277V	SPEC SHEET				20
LANDSCAPE FIXTURES • 12V							
 	3	DL65050102 BRASS 3W LED SMALL NARROW FLOOD/30K/12V • W/PLASTIC SPIKE	SPEC SHEET	3000K	160	25W	20
	6	DL65150107 BRASS 6W LED LARGE NARROW FLOOD/30K/12V • W/PLASTIC SPIKE	SPEC SHEET	3000K	550	25W	10
	5	DL65250104 BRASS 5W LED NARROW FLOOD/30K/12V • W/PLASTIC SPIKE	SPEC SHEET	3000K	270	25W	20
		DL65350100 BRASS FLOOD/CLEAR LENS/G4/12V • W/PLASTIC SPIKE	SPEC SHEET				10
		DL65450106 BRASS MR16 NARROW FLOOD/12V • W/PLASTIC SPIKE	SPEC SHEET				20
		DL65550109 BRASS SMOOTH HOODED PATHWAY/G4/12V • W/PLASTIC SPIKE	SPEC SHEET				12
		DL65650110 BRASS SMOOTH SMALL HOODED PATHWAY/G4/12V • W/PLASTIC SPIKE	SPEC SHEET				18
		DL65750111 BRASS HAMMERED HOODED PATHWAY/G4/12V • W/PLASTIC SPIKE	SPEC SHEET				20
		DL65850113 BRASS LARGE 5" TIKI TORCH AND LIGHT/G4/12V • W/PLASTIC SPIKE	SPEC SHEET				8
		DL65950118 BRASS COVER COMPOSITE IN-GROUND/MR16/12V/BRONZE	SPEC SHEET				20
	ACCESSORIES						
	DL66050114	WICK ONLY for TIKI TORCH					50
	DL66150125	BRASS MOUNTING BASE					50
	DL66250128	ABS MOUNTING STAKE FOR LANDSCAPE FIXTURES					100
	DL66350130	LARGE PVC MOUNTING STAKE FOR LANDSCAPE FIXTURES					100
	DL66450135	BLACK SILICONE WIRE NUT/20 Pack					20 pk
	DL66550148	7 DAY PROGRAMMABLE TIMER FOR LANDSCAPE TRANSFORMER					1
	DL66650149	PLUG-IN PHOTO CELL FOR LANDSCAPE TRANSFORMER					1
100	DL66750145	100W/12-15V/LANDSCAPE TRANSFORMER/STAINLESS STEEL					1
300	DL66850146	300W/12-15V/LANDSCAPE TRANSFORMER/STAINLESS STEEL					1

DIMM = DIMMABLE / ES® = ENERGY STAR®
FOR EXACT PART NUMBERS PLEASE CONTACT FACTORY